

SAFETY DATA SHEET

IKAROS MOB Light & Smoke Signal MKIV



The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

 Date issued
 22.11.2016

 Revision date
 20.12.2023

1.1. Product identifier

Product name IKAROS MOB Light & Smoke Signal MKIV

Article no. 345105

Product definition 50 g ignition composition, 1300 g orange smoke composition and lithium battery

Net Explosive Weight: 1350 g ± 5%.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture Man over board signal.

1.3. Details of the supplier of the safety data sheet

Company name Hansson PyroTech AB

Postal address Köpingsvägen 35

Postcode 711 31

City Lindesberg

Country Sweden

Telephone number +46 58187250

Email <u>info@hansson-pyrotech.com</u>

Website www.hansson-pyrotech.com

1.4. Emergency telephone number

Emergency telephone Telephone number: +46 581 87 147 (Available 24 hours)

Description: Emergency call

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP / GHS] Expl. 1.4; H204

Skin Irrit. 2; H315

Skin Sens. 1; H317

Eye Irrit. 2; H319

STOT SE 3; H335

Aquatic Chronic 2; H411

Substance / mixture hazardous properties

Main health hazard: Pyrotechnic product. Inhalation: Respiratory irritant. Contact with skin: Irritating to the skin. May cause an allergic skin reaction. Contact with burning product can cause severe burns. Contact with eyes: Causes serious eye irritation. Ingestion: May cause nausea and vomiting. Fire and explosion hazard: Risk of explosion if the product is exposed to electric shock, friction, fire or other sources of ignition. Environmental hazard: Toxic to aquatic life with long-lasting effects.

2.2. Label elements

Hazard pictograms (CLP)



Composition on the label

Solvent Orange 86, Potassium chlorate

Signal word

Warning

Hazard statements

H204 Fire or projection hazard.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P234 Keep only in original packaging. P240 Ground and bond container and receiving equipment. P250 Do not subject to grinding / shock / friction / . P280 Wear protective gloves / protective clothing / eye protection / face protection. P370 + P372 + P380 + P373 In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives. P370+P380+P375 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. P401 Store in accordance with national regulation. P501 Dispose of contents / container to authorised waste disposal facility.

Other EU labelling requirements

In accordance with Article 23 and marginal 1.3.5 of the CLP, the specific provisions on labelling laid down in section 1.3 of Annex I shall apply in respect of the followings:

- (e) explosives, as referred to in section 2.1 of Annex I, placed on the market with a view to obtaining an explosive or pyrotechnic effect.
- 1.3.5 Explosives placed on the market with a view to obtaining an explosive or pyrotechnic effect.

Explosives, as referred to in section 2.1, placed on the market with a view to obtaining an explosive or pyrotechnic effect shall be labelled and packaged in

accordance with the requirements for explosives only.

2.3. Other hazards

Health effect Contact with burning product can cause severe burns.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents	Notes
Solvent Orange 86	CAS No.: 81-64-1	Skin Sens. 1; H317	= 37,6 %	
	EC No.: 201-368-7	Eye Irrit. 2; H319		
	REACH Reg. No.:	Skin Irrit. 2; H315		
	01-2119971261-41	STOT SE3; H335		
Potassium chlorate	CAS No.: 3811-04-9	Ox. Sol. 1; H271	= 26,5 %	
	EC No.: 223-289-7	Acute tox. 4; H332		
	Index No.: 017-004-00-3	Acute tox. 4; H302		
	REACH Reg. No.:	Aquatic Chronic 2; H411		
	01-2119494917-18			

SECTION 4: First aid measures

4.1. Description of first aid measures

General	Contaminated work clothing should be washed before using again. Special treatment is urgent (see label on this label).	
Inhalation	Move the person to fresh air and keep at rest in a position comfortable for breathing. Consult a doctor if symptoms persist. If burned, rinse with plenty of water for at least 20 minutes. In case of any other contact with skin, wash with soap and water for several minutes.	
Skin contact		
Eye contact	Hold eyelids open and rinse with soft, lukewarm water or eye wash liquid for at least five minutes. Remove contact lenses. Consult a doctor if symptoms persist.	
Ingestion	Get medical advice/attention.	

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects Contact with bu

Contact with burning product can cause severe burns. May cause nausea and vomiting. Causes serious eye irritation. Irritating to the skin. May cause an allergic skin reaction. Irritating to the respiratory system.

4.3. Indication of any immediate medical attention and special treatment needed

Medical treatment None other than the one listed above.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use foam, dry chemical, CO2 or mist early in the fire. Once the product is lit up, it is very difficult to extinguish.

Improper extinguishing media

No restrictions.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards

The product is an explosion hazard, as it generates large quantities of gas and heat, once lit.

5.3. Advice for firefighters

Personal protective equipment

Wear full protective clothing for chemical fires, including breathing apparatus. If possible, remove undamaged containers from the danger area. Remove all ignition sources.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures

Ensure good ventilation. Use appropriate protective equipment, see section 8. Avoid skin and eye contact. Remove all ignition sources.

6.2. Environmental precautions

Environmental precautionary measures

Prevent discharge into sewers or the local environment/streams. Contact

emergency services upon greater emissions.

6.3. Methods and material for containment and cleaning up

Containment

Collect with tools that do not give rise to ignition.

Clean up

The waste is placed in closed containers and disposed of as hazardous waste in accordance with section 13.

6.4. Reference to other sections

Other instructions

See sections 8 and 13 for information about protection and waste management.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling

Avoid sparks, shock and friction. Use personal protective equipment, see section 8. Avoid skin and eye contact. Protect the product from sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Store cool and dry in a well-ventilated place. Keep away from sources of ignition - no smoking. Keep out of reach of children.

7.3. Specific end use(s)

Specific use(s)

Man over board signal.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Control parameters comments

PNEC/DNEL are not available.

8.2. Exposure controls

Precautionary measures to prevent exposure

Appropriate engineering controls Keep away from fire, sparks and other ignition sources. When cleaning, use

equipment that does not cause sparks.

Eye / face protection

Suitable eye protection

Shatterproof goggles or visors.

Hand protection

Suitable gloves type

Leather gloves or the like.

Skin protection

Skin protection remark

Change work clothing daily if contamination is reasonably probable.

Respiratory protection

Recommended type of equipment

Particle filter EN143 Type P or EN149 type FFP-S.

Hygiene / environmental

Personal protection equipment,

comments

Contact your protective equipment supplier for more information.

Specific hygiene measures

No smoking.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Yellow aluminium tube inserted in a yellow floating body made of plastic with an

orange ribbon and two chimneys. Orange label. Black igniter.

Colour See under "Physical state".

Odour None.

Melting point / melting range

Ηq Status: In delivery state

Comments: No information available.

Status: In aqueous solution

Comments: No information available.

Comments: No information available.

Boiling point / boiling range Comments: No information available.

Flash point Comments: No information available.

Evaporation rate Comments: No information available.

Flammability The contents are flammable. Explosion limit Comments: No information available.

Vapour pressure Comments: No information available.

Vapour density Comments: No information available.

Relative density Comments: No information available.

Solubility Comments: Insoluble in water.

Auto-ignition temperature Value: > 200 °C

Method: Ignition temperature

Viscosity Comments: No information available.

Explosive properties The product is explosive. Emits smoke. Also contains a lithium battery.

Oxidising properties Content is oxidizing.

9.2. Other information

9.2.2. Other safety characteristics

Comments These are typical values and do not constitute an exact product specification.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable product under recommended storage and handling conditions.

10.2. Chemical stability

Stability Stable product under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Stable product under recommended storage and handling conditions. Risk of

explosion in contact with sulfuric acid.

10.4. Conditions to avoid

Conditions to avoid Avoids temperatures above 75°C.

10.5. Incompatible materials

Materials to avoid Sulfuric acid.

10.6. Hazardous decomposition products

Hazardous decomposition

Pyrotechnic products, emit large amounts of smoke and gets hot (about 200 $^{\circ}$ C).

products

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance Solvent Orange 86

Acute toxicity Type of toxicity: Acute

Effect tested: LD50
Route of exposure: Oral
Value: > 5000 mg/kg
Animal test species: Rat
Comments: Non-acute toxic.

Substance Potassium chlorate

Acute toxicity Type of toxicity: Acute

Effect tested: LD50
Route of exposure: Oral
Value: = 1870 kg/mg
Animal test species: Rat

Comments: Acute toxic when ingested.

Type of toxicity: Acute
Effect tested: LD50
Route of exposure: Dermal
Value: > 2000 mg/kg
Animal test species: Rabbit
Comments: Non-acute toxic.

Other toxicological data

No data available for the product itself. The data below is based on individual

ingredients of the product.

Other information regarding health hazards

General respiratory or skin

sensitisation

Irritating to the respiratory system.

Inhalation Powder may be irritating to the respiratory system.

Skin contact Irritating to the skin.

Eye contact Causes serious eye irritation.

Ingestion May cause nausea and vomiting.

Sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity, human

experience

No known mutagenicity.

Carcinogenicity, other information No known carcinogenicity.

Reproductive toxicity No known reproductive toxicity.

Symptoms of exposure

In case of ingestion May cause irritation of the gastrointestinal tract with nausea and vomiting as a

result.

In case of skin contact Irritating to skin. May cause an allergic skin reaction.

In case of inhalation Irritation of nose and throat.

In case of eye contact Irritating to eyes.

11.2 Other information

SECTION 12: Ecological information

12.1. Toxicity

Substance Potassium chlorate

Aquatic toxicity, fish Value: = 1,75 mg/l
Test duration: 96h

Species: Oncorhynchus mykiss

Method: LC50

Comments: Toxic to aquatic organisms.

Ecotoxicity Producted has not been tested. The data below is based on individual ingredients

of the product. The product is toxic to aquatic life with long-lasting effects.

12.2. Persistence and degradability

Persistence and degradability description/evaluation

Not applicable. Contains inorganic materials and is in solid form.

12.3. Bioaccumulative potential

Substance Solvent Orange 86

Bioconcentration factor (BCF) Value: = 30,9

Comments: No bioaccumulation expected.

Bioaccumulation, comments No bioaccumulation expected.

12.4. Mobility in soil

Mobility None – product in form of solid article.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

12.7. Other adverse effects

Additional ecological information

Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal for the chemical

Waste should be kept in separate container. NO SMOKING! Unused product is hazardous waste and must be disposed of in accordance with national and local regulations. Contact approved waste disposal service to dispose of this material.

Appropriate methods of disposal for the contaminated packaging

Used product treated as ordinary plastic / metallic waste. DO NOT TRY TO DISASSEMBLE UNUSED PRODUCT! Contaminated packaging may pose a fire

hazard.

EWC waste code: 160402 fireworks wastes

Classified as hazardous waste: Yes

Other information

Contaminated packing may burn rapidly.

SECTION 14: Transport information

Dangerous goods Yes

14.1. UN number

ADR/RID/ADN 0507
IMDG 0507

ICAO/IATA 0507

Comments Packaging in cardboard : 1.4S

UN-number: UN 0507 SIGNALS, SMOKE

Packaging instructions: P135 Packaging in cardboard: 1.4G

UN-number: UN 0197 SIGNALS, SMOKE

Packaging instructions: P135

Swedish Civil Contingencies Agency (MSB) Cert No: 2018-06533

14.2. UN proper shipping name

Proper shipping name English

ADR/RID/ADN

IMDG

SIGNALS, SMOKE

ADR/RID/ADN SIGNALS, SMOKE

IMDG SIGNALS, SMOKE

ICAO/IATA SIGNALS, SMOKE

14.3. Transport hazard class(es)

ADR/RID/ADN 1.4S

Classification code ADR/RID/ADN 1.4S

1.4\$

ICAO/IATA 1.4S

14.4. Packing group

14.5. Environmental hazards

IMDG Marine pollutant Yes

14.6. Special precautions for user

Special safety precautions for user See P-statements in Section 2.2.

14.7. Maritime transport in bulk according to IMO instruments

Product name SIGNALS, SMOKE

Additional information

Hazard label ADR/RID/ADN 1.4S
Hazard label IMDG 1.4S
Hazard label ICAO/IATA 1.4S

ADR/RID Other information

Tunnel restriction code E
Transport category 4

IMDG Other information

EmS F-B, S-X

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulations Safety data sheet and classification in accordance with regulation 1272/2008

/EC (CLP) and regulation 830/2015/EC.

15.2. Chemical safety assessment

Chemical safety assessment

Yes

performed

SECTION 16: Other information

List of relevant H-phrases (Section

2 and 3)

H204 Fire or projection hazard.

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

CLP classification, comments Classification and labelling are based on CLP (Regulation 1272/2008/EC and

Regulation 830/2015/EC)

Last update date 20.12.2023

Version 10